October ICD-9-CM Coding Updates FY09

Katie Arnold CPC, CPC-H, CPC-I Manager of Coding Education & QA, DHMC New Member Development Officer Lebanon, NH Local AAPC Chapter

Objectives

- ✓ Review 2009 ICD-9 diagnosis coding changes
- Improve coding skills by enhancing knowledge of these changes

ICD-9-CM Code Updates FY 2009


- 🖉 367 new diagnosis codes


- *⊯* <u>452 total diagnosis coding changes</u>

Who's Responsible for Updates?

- ${\scriptstyle \measuredangle}$ 4 cooperating parties involved
 - ∠ American Hospital Association (AHA)
 - ∠ The Centers for Medicare and Medicaid Services (CMS)

 - ✓ American Health Information Management Association (AHIMA)
- Proposals for changes are submitted/reviewed during two annual open forums





Chapter 1 Infectious and Parasitic Diseases (001-139)

Deleted:

- $\approx 051.0 \ Cowpox$

Chapter 1 Infectious and Parasitic Diseases (001-139)

Revised:

- ∠ 041.11 Methicillin susceptible Staphylococcus aureus in conditions classified elsewhere and of unspecified site

New codes:

- $\swarrow~038.12$ Methicillin resistant Staphylococcus aureus septicemia
- ∠ 041.12 Methicillin resistant Staphylococcus aureus in conditions classified elsewhere and of unspecified site

Chapter 1 Infectious and Parasitic Diseases (001-139)

- *∞* 046.19 Other and unspecified Creutzfeldt-Jakob disease

- ≈ 046.79 Other and unspecified prion disease of central nervous system
- ≤ 051.01 Cowpox
- ${\scriptstyle \measuredangle}$ 051.02 Vaccinia not from vaccination

Chapter 1 Infectious and Parasitic Diseases (001-139)

- *∠* 059.00 Orthopox virus infection, unspecified
- ≤ 059.01 Monkeypox
- *⊯* 059.09 Other orthopox virus infection
- ∞ 059.10 Parapox virus infection, unspecified
- ${\scriptstyle \measuredangle}$ 059.11 Bovine stomatitis
- *⊯* 059.19 Other parapox virus infections

Chapter 1 Infectious and Parasitic Diseases (001-139)

- ∠ 059.21 Tanapox
- *∞* 059.29 Yatapox virus infection, unspecified
- *≥* 059.8 Other pox virus infections
- *∞* 059.9 Pox virus infections, unspecified

Chapter 1 Infectious and Parasitic Diseases (001-139)

- ≤ 078.12 Plantar wart
- ≈ 136.29 Other specific infections by free-living amebae

Deleted codes: None Revised codes: 28 New codes: 78


Chapter 2 Neoplasms (140-239)

New codes:

- ≈ 238.77 Post-transplant lymphoproliferative disorder (PTLD)

Chapter 2 Neoplasms (140-239)

- ✓ Leukemia may relapse prior to getting to remission
- - \thickapprox May require a whole new set of interventions and treatments
 - ✓ May be similar to the initial induction therapy or more aggressive therapy.



Neuroendocrine Tumors

- Vastly different outcomes compared to more common neoplasms of the same anatomic site
- *∝* Different treatments offered:
 - « Adenocarcinoma: Cytotoxic chemotherapy
 - ✓ Neuroendocrine: Hormonal therapy, interferon, newer targeted agents

Chapter 2 Neoplasms (140-239)

209 Neuroendocrine Tumors

- ∠ Code first Multiple endocrine syndrome
- ✓ Use additional code for related endocrine syndrome
- ≈ 209.0 Malignant carcinoid tumors of the small intestine
 - ≤ 209.00 small intestine, unspecified portion
 - ∠ 209.01 duodenum
 - ≈ 209.02 jejunum
 - z 209.03 ileum

- - ⊯ 209.11 appendix
 - z 209.12 cecum
 - ≈ 209.13 ascending colon
 - ≈ 209.14 transverse colon

 - ≤ 209.16 sigmoid colon
 - z 209.17 rectum

Chapter 2 Neoplasms (140-239)

- ≈ 209.2 Malignant carcinoid tumors of other and unspecified sites

 - ≥ 209.21 bronchus and lung
 - z 209.22 thymus
 - ≥ 209.23 stomach
 - z 209.24 kidney
 - ∠ 209.25 foregut, not otherwise specified
 - z 209.26 midgut, not otherwise specified
 - ≥ 209.27 hindgut, not otherwise specified
 - ≥ 209.29 other sites

Chapter 2 Neoplasms (140-239)

- ≈ 209.30 Malignant poorly differentiated neuroendocrine carcinoma, any site
- ≈ 209.4 Benign carcinoid tumors of the small intestine
 - *≥* 209.40 small intestine, unspecified portion
 - ≈ 209.41 duodenum
 - z 209.42 jejunum
 - ≈ 209.43 ileum


- - ⊯ 209.51 appendix
 - z 209.52 cecum

 - ⊯ 209.54 transverse colon
 - ⊯ 209.55 descending colon
 - ≈ 209.56 sigmoid colon
 - z 209.57 rectum


Chapter 2 Neoplasms (140-239)

- - \varkappa 209.60 unknown primary site
 - ≤ 209.61 bronchus and lung
 - z 209.62 thymus
 - z 209.63 stomach
 - *∞* 209.64 kidney

 - z 209.66 midgut, not otherwise specified
 - ≥ 209.67 hindgut, not otherwise specified
 - ≥ 209.69 other sites



- ∠ Deleted: 1
- *∝* Revised: none
- ∠ New: 28



Secondary Diabetes - Diabetes mellitus resulting from other specific disease processes such as;

- *∞* Cushing's syndrome
- ${\scriptstyle { \mathscr{E} }} Malignant \ neoplasms$

Chapter 3 Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders (240-279)

- New Category: 249 Secondary Diabetes mellitus
- ∠ Parallels category 250
- \thickapprox All of the manifestation codes in category 250 also apply to 249
- ∠ Code first notes have been dropped
- Continue to follow code also notes to describe manifestations
- Sequencing dependant on documentation and official coding guidelines
- ∠ All categories utilize 5th digits:
 - ≈ 0 not stated as uncontrolled, or unspecified
 - ≈1 uncontrolled

Chapter 3 Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders (240-279)

- \swarrow 249.0x Secondary diabetes mellitus without mention of complication
- ∠ 249.1x Secondary diabetes mellitus with ketoacidosis
- ∠ 249.2x Secondary diabetes mellitus with hyperosmolarity
- ∠ 249.3x Secondary diabetes mellitus with other coma
- ≈ 249.4x Secondary diabetes mellitus with renal manifestations

- ≈ 249.5x Secondary diabetes mellitus with ophthalmic manifestations
- $\not \approx 249.6x$ Secondary diabetes mellitus with neurological manifestations
- ≈ 249.7x Secondary diabetes mellitus with peripheral circulatory disorders
- \swarrow 249.8x Secondary diabetes mellitus with other specified manifestations
- $\varkappa 249.9x$ Secondary diabetes mellitus with unspecified complication

Chapter 3 Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders (240-279)

Tabular listing:

 $249.4x\ Secondary\ diabetes\ mellitus\ with\ renal\ manifestations$


Use additional code to identify manifestations, as: chronic kidney disease (585.1-585.9) diabetic nephropathy NOS (583.81) intercapillary glomerulosclerosis (581.81) Kimmelstiel-Wilson syndrome (581.81)

Chapter 3 Endocrine, Nutritional and Metabolic Diseases and Immunity Disorders (240-279)

 ${\scriptstyle \measuredangle}$ Deleted 259.5 Androgen insensitivity syndrome


 \varkappa Added:

- \varkappa 259.50 Androgen insensitivity, unspecified
- ≥ 259.51 Androgen insensitivity syndrome
 - ✓ Complete androgen insensitivity
 - ≪de Quervain's syndrome
 - ≪ Goldberg-Maxwell Syndrome
- ≈ 259.52 Partial androgen insensitivity
 ≈ Partial androgen insensitivity syndrome
 ≈ Refenstein syndrome



- ${\scriptstyle { \ensuremath{ \ensuremath{\ensuremath{ \ensuremath{ \ensuremath{ \ensuremath{ \ensuremath{$ effect of an allogeneic bone marrow or cord blood transplant (BMT).
- *⊯* GVHD can range from mild to life-threatening
- Immune cells from the donated marrow or cord blood (graft) attack the body of the transplant patient (host) affecting most often:
 - ⊯ Skin ⊯ Eyes

 - ∠ Stomach ∠ Intestines



∞ 279 Disorders involving the immune mechanism

- $\not \approx 279.50$ Graft-versus-host disease, unspecified
- ≈ 279.51 Acute graft-versus-host disease

Chapter 4: Diseases of the Blood and Blood-Forming Organs (280-289)

Existing codes:

- ≈ 289.8 Other specified diseases of blood and bloodforming organs
 - ≈289.81 Primary hypercoagulable state
 - ≈ 289.82 Secondary hypercoagulable state
 ∞ Excludes: Heparin-induced thrombocytopenia (289.84)

≈289.83 Myleofibrosis

New Code:

≈ 289.84 Heparin-induced thrombocytopenia (HIT)

Chapter 6: Diseases of the Nervous System and Sense Organs (320-389)

∠ New codes: 68

- ∠ Revised codes: 15
- ∠ Deleted: 1



Carotid Sinus syndrome:

- ${\ensuremath{\it \varkappa}}$ The carotid sinus is an area within the carotid artery near the branch point
- ✓ Sensitive to blood pressure (or external pressure) changes
- Sends a signal to slow the heart rate or decrease the blood pressure without slowing the heart rate.
 Can cause syncope

Chapter 6: Diseases of the Nervous System and Sense Organs (320-389)

Deleted:

- ≈ 337.0 Idiopathic peripheral autonomic neuropathy
- New:
- ≈ 337.00 Idiopathic peripheral autonomic neuropathy, unspecified
- ≤ 337.01 Carotid sinus syndrome
- ≈ 337.09 Other idiopathic peripheral autonomic neuropathy

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

Headaches - Major changes

- ✓ International Headache Society proposed aligning recommendations with ICD-9 codes
- ∠ Also involved:
 - \varkappa American Academy of Neurology
 - ✗ American Psychiatric Association

Episodic versus Chronic

- \ll In pain, *chronic* denotes persistence > 3 months
- ${\ensuremath{\it \varkappa}}$ In headache, it has this meaning for secondary headache disorders
- ✓ For primary episodic headache disorders (eg migraine), chronic is used whenever headache occurs on more days than not > 3 months
- ✓ Trigeminal autonomic cephalalgias exception
 ✓ Chronic not used until unremitting >1 year

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

Categories:

- & 339 Other Headache Syndromes NEW
- ≤ 346 Migraine REVISED
- *⊯* Secondary Headaches



Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

339 Other headache syndromes

- ≈ 339.0 Cluster headaches and other trigeminal autonomic cephalgias
 - ≥ 339.00 Cluster headache syndrome, unspecified
 - ≥ 339.01 Episodic cluster headache
 - ≤ 339.02 Chronic cluster headache
 - ≤ 339.03 Episodic paroxysmal hemicrania
 - ≤ 339.04 Chronic paroxysmal hemicarania
 - ≈ 339.05 Short lasting unilateral neuralgiform headache with conjunctival injection and tearing
 - ≤ 339.09 Other trigeminal autonomic cephalgias

- 339.1 Tension type headache Excludes tension headache due to psychological factors 307.81
 - ≤ 339.10 Tension type headache, unspecified

 - \varkappa 339.12 Chronic tension type headache
- ≤ 339.2 Post-traumatic headache
 - $\not \approx 339.20$ Post-traumatic headache, unspecified
 - $\not {\ensuremath{ \ensuremath{ \ensuremath{$

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

- - ≈ 339.41 Hemicrania continua
 - $\measuredangle 339.42 \ New \ daily \ persistent \ headache$

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

- *∞* 339.8 Other specified headache syndromes
 - ≈ 339.81 Hypnic headache
 - ≤ 339.82 Headache associated with sexual activity
 - ≤ 339.83 Primary cough headache
 - ≤ 339.84 Primary exertional headache
 - *≥* 339.85 Primary stabbing headache
 - ≤ 339.89 Other headache symptoms
- *⊯* 339.4 Complicated headache syndromes

- $\varkappa~346.0x~$ Migraine with aura
- $\not {\it \measuredangle 346.2x} \ \ Variants \ of \ migraine$
- $\not \ll 346.3x \ Hemiplegic \ migraine$
- $\varkappa ~ 346.4x ~~ Menstrual ~migraine$
- *∞* 346.6x Persistent migraine aura with cerebral infarction
- ${\scriptstyle \measuredangle}~347.7x~$ Chronic migraine without aura
- *∞* 348.8x Other forms of migraine
- $\not < 349.9x \ Migraine, unspecified$

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

346 Migraine

∠Current 5th digits:

*⊭*0-without mention of intractable migraine *⊭*1-with intractable migraine, so stated

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

346 Migraine

∠New 5th digits:

- ∞0-without mention of intractable migraine, without mention of status migrainosus
- ∠1-with intractable migraine, so stated, without mention of status migrainosus
- *≈*2- without mention of intractable migraine, with status migrainosus
- *≈*3- with intractable migraine, so stated, with status migrainosus

New 4^{th} digit subclassification

- ∉ 349.3 Dural tear
 - ≈ 349.31 Accidental puncture or laceration of dura during a procedure
 - ≤ 349.30 Other dural tear

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

- Current coding lumps together all stages and acute/chronic disease into one code
 362.21 Retrolental fibroplasia
- *⊯* Expanding the codes allows:
 - ✓ Separation between chronic and acute disease
 ✓ Separation between minor ROP (requiring observation) and severe ROP (requiring treatment)

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

∞ ROP Stages

- *∞* 0: Immature retina without vascular changes
- ≈ 1: Flat line demarcates the vascular and avascular areas
- \approx 2: Fibrous tissue protrudes into the vitreous between the vascular and avascular retina
- ≈ 3: New blood vessels and fibrous tissue along ridge
- *∞* 4: Partial retinal detachment *∞* 5: Total retinal detachment



- $\measuredangle 362.20 \ Retinopathy of \ prematurity, \ unspecified$
- $\not \approx 362.22$ Retinopathy of prematurity, stage 0
- ${\scriptstyle \measuredangle}$ 362.23 Retinopathy of prematurity, stage 1
- $\not \ll$ 362.25 Retinopathy of prematurity, stage 3
- ${\scriptstyle \measuredangle}$ 362.27 Retinopathy of prematurity, stage 5

Chapter 6 Disease of the Nervous System and Sense Organs (320-389)

✓ 364.82 Plateau iris syndrome
 ✓ Primary angle-closure glaucoma in the

absence of classic pupillary block.



∞ 372.34 Pingueculitis

✓ Pingueculae are characterized by yellowish, slightly raised, interpalpebral lipid-like deposits in the nasal and temporal limbal conjunctiva.

Chapter 7 Diseases of the Circulatory System (390-459)

 \varkappa New code: 1

 $\not \ll$ 414.3 - Coronary artherosclerosis due to lipid rich plaque

Chapter 8: Diseases of the Respiratory System (460-519)

 \varkappa New codes: 2

- ≈ 511.81 Malignant pleural effusion
- $\not \approx 511.89$ Other specified forms of effusion, except tuberculous

\varkappa Deleted code: 1

≈ 511.8 Other specified forms of pleural effusion, except tuberculous

Chapter 9 Diseases of the Digestive System (520-579)


- ✓ Eosinophilic gastrointestinal disorders (EGIDs): involve eosinophil accumulation in tissues lining the GI tract in the absence of known causes of eosinophilia.
 - *∝* Cause inflammation
 - $\ensuremath{\mathscr{E}}$ Can be treated with;
 - ∠ Limiting diet
 - ✓Use of a feeding tube
 - *∝*Steroids

Chapter 9 Diseases of the Digestive System (520-579)

- ≤ 530.13 Eosinophilic esophagitis
- *⊯* 535.71 Eosinophilic gastritis, with mention of hemorrhage
- *∞* 558.41 Eosinophilic gastroenteritis
- ≤ 558.42 Eosinophilic colitis

Chapter 9 Diseases of the Digestive System (520-579)

- ∠ Pre-cancerous condition
- ${\scriptstyle { \ensuremath{ \ensuremath{\ensuremath{ \ensuremath{ \ensuremath{ \ensuremath{ \ensuremath{$
- ∠ Low-grade lesions may progress to high-grade lesions, which can progress sooner to cancer
- 571 49 Autoimmune henetitie
- *∞* 571.42 Autoimmune hepatitis
 - Body's immune system attacks liver cells, causing inflammation
 - ${\ensuremath{\it \ensuremath{\not \ensuremath{\it \ensuremath{\it \ensuremath{\not \ensuremath{\it \ensuremath{\it \ensuremath{\it \ensuremath{\it \ensuremath{\not \ensuremath{\not \ensuremath{\it \ensuremath{\it \ensuremath{\it \ensuremath{\not \ensuremath{\it n}\ensuremath{\it \ensuremath{\it \ensuremath{\it n}\ensuremath{\it \ensuremath{\it n}\ensuremath{\it n}\ensuremath{\ensuremath{\it n}\ensuremath{\it n}\ensuremath{\ensuremath{\it n}\ensuremath{\ensuremath{\it n}\ensuremath{\ensuremath{\it n}\ensuremath{\ensuremath{\ensuremath{\it n}\ensuremath{\it n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{\ensuremath{\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{\ensuremath{n}\ensuremath{n}\en$




Chapter 10: Diseases of the Genitourinary System (580-629)

Deleted:

≤ 599.7 Hematuria

New:

- 🖉 599.70 Hematuria, unspecified
- ≤ 599.72 Microscopic hematuria





Chapter 10: Diseases of the Genitourinary System (580-629)

Deleted:

 \thickapprox 611.8 Other specified disorders of breast New:

- ≤ 611.81 Ptosis of breast
- ≤ 611.82 Hypoplasia of breast
- *∞* 611.83 Capsular contracture of breast implant

Chapter 10: Diseases of the Genitourinary System (580-629)

New 4th digit subcategory:

≤ 625.7 Vulvodynia

≈ 625.70 Vulvodynia, unspecified
 ≈ 625.71 Vulvar vestibulitis
 ≈ 625.79 Other vulvodynia

Chapter 11 Complications of Pregnancy, Childbirth, and the Puerperium (630-679)



New codes: 19 Revised codes: 0 Deleted codes: 0

Chapter 11: Complications of Pregnancy, Childbirth, and the Puerperium (630-679)

New 4th digit subclassifications:

- ≤ 649.7x Cervical shortening
- *⊯* 678.0x Fetal hematologic conditions

Chapter 12: Diseases of the Skin and Subcutaneous Tissue (680-709)

- ∠ New codes: 23
- ∠ Revised codes: 9
- ∠ Deleted: 1



Chapter 12: Diseases of the Skin and Subcutaneous Tissue (680-709)

- ∠ 695.10 Erythema multiforme, unspecified
- *∞* 695.11 Erythema multiforme minor
- *∞* 695.12 Erythema multiforme major
- ≤ 695.13 Steven -Johnson syndrome
- ✓ 695.14 Steven -Johnson syndrome- toxic epidermal necrolysis overlap syndrome
- *⊯* 695.15 Toxic epidermal necrolysis

Chapter 12: Diseases of the Skin and Subcutaneous Tissue (680-709)

 5^{th} digits = percentage of body surface involved:

0 less than 10%	5 50-59%
1 10-19%	6 60-69%
2 20-29%	7 70-79%
3 30-39%	8 80-89%
4 40-49%	9 90 or more %

Chapter 12: Diseases of the Skin and Subcutaneous Tissue (680-709)

Current codes:


∞ 707.0x Decubitus (pressure) ulcer by site

New: Instructional note to use additional code to identify pressure ulcer stage (707.2x)


Chapter 12: Diseases of the Skin and Subcutaneous Tissue (680-709)


New 4th digit subclassification:


- *∝* 707.2x Pressure ulcer stages
 - ≈ 707.20 unspecified stage
 - ≈ 707.21 stage I
 - ≈ 707.22 stage II
 - \varkappa 707.23 stage III
 - ≈ 707.24 stage IV
 - ≈ 707.25 unstageable
 ∞ Lesion unable to be examined
 - ∠Covered by eschar or blister
















New codes: 7 Revised codes: 0 Deleted codes: 1



Chapter 13: Diseases of the Musculoskeletal System and Connective Tissue (710-739)

Deleted:

Added:

- *⊯* 729.92 Nontraumatic hematoma of soft tissue

Chapter 13: Diseases of the Musculoskeletal System and Connective Tissue (710-739)

Added new codes:

- ≈ 733.98 Stress fracture of pelvis



Chapter 15: Certain Conditions Originating in the Perinatal Period (760-779)

New codes: 8 Revised codes: 0 Deleted codes: 2



Chapter 15: Certain Conditions Originating in the Perinatal Period (760-779)

Deleted:

≈ 760.6 Surgical operation on mother

Added:

- *∞* 760.61 Newborn affected by amniocentesis
- $\not \approx 760.63$ Newborn affected by other surgical operations on mother during pregnancy
- ≈ 760.64 Newborn affected by previous surgical procedure on mother not associated with pregnancy

Chapter 15: Certain Conditions Originating in the Perinatal Period (760-779)

Deleted:

≈ 777.5 Necrotizing enterocolitis in fetus or newborn

Added:

- ≈ 777.50 Necrotizing enterocolitis in newborn, unspecified
- $\varkappa~777.52$ Stage II necrotizing enterocolitis in newborn
- ∞ 777.53 Stage III necrotizing enterocolitis in newborn

Chapter 15: Certain Conditions Originating in the Perinatal Period (760-779)

- Suspected NEC (stage I): nonspecific systemic signs including lethargy, abdominal distention, blood in stool. Radiograph normal or shows dilation of bowel
- Proven NEC (Stage II): Absent bowel sounds. Radiograph shows intestinal dilation, ileus and pneumatosis. May have ascites.
- Advanced NEC (Stage III): Critically ill. May have hypotension/shock, bradycardia, apnea, peritonitis. May have bowel perforation (free air).

Chapter 16 Symptoms, Signs, and Ill-Defined Conditions (780-799)

New codes: 28 Revised codes: 0 Deleted codes: 3



Chapter 16 Symptoms, Signs, and Ill-Defined Conditions (780-799)

Deleted:

- Added:
- ≤ 780.60 Fever, unspecified
- \approx 780.61 Fever presenting with conditions classified
- elsewhere (Code first underlying condition)
- ≈ 780.62 Postprocedural fever
- $\not \approx 780.64$ Chills (without fever)
- ≈ 780.65 Hypothermia not associated with low environmental temperature

Chapter 16 Symptoms, Signs, and Ill-Defined Conditions (780-799)

New:

- 780.72 Functional quadriplegia
- $\ensuremath{\mathscr{E}}$ Inability to move due to another condition
 - *∝* Severe contractures

∠ Arthritis

Do not report for quadriplegia due to a neurological condition

Chapter 16 Symptoms, Signs, and Ill-Defined Conditions (780-799)

Deleted:

≈ 788.9 Other symptoms involving urinary symptoms

New:

- ≈ 788.99 Other symptoms involving urinary system

Chapter 16 Symptoms, Signs, and Ill-**Defined Conditions (780-799)**

New:

transformation zone

Revised:

Deleted:


other site

Chapter 16 Symptoms, Signs, and Ill-**Defined Conditions (780-799)**

- # 795.10 Abnormal glandular Papanicolaou smear of vagina
- 795.11 Papanicolaou smear of vagina with atypical squamous cells of undetermined significance (ASC-US) ĸ
- 795.12 Papanicolaou smear of vagina with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
- 795.13 Papanicolaou smear of vagina with low grade squamous intraepithelial lesion (LGSIL) 795.14 Papanicolaou smear of vagina with high grade squamous intraepithelial
- lesion (HGSIL) 795.15 Vaginal high risk human papillomavirus (HPV) DNA test positive ĸ
- 795.16 Papanicolaou smear of vagina with cytologic evidence of malignancy
- 795.18 Unsatisfactory vaginal cytology smear
- # 795.19 Other abnormal Papanicolaou smear of vagina and vaginal HPV

Chapter 16 Symptoms, Signs, and Ill-**Defined Conditions (780-799)**

- # 796.70 Abnormal glandular Papanicolaou smear of anus
- 796.71 Papanicolaou smear of anus with atypical squamous cells of undetermined significance (ASC-US) £
- 796.72 Papanicolaou smear of anus with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H) ĸ
- 796.73 Papanicolaou smear of anus with low grade squamous intraepithelial lesion (LGSIL)
- 796.74 Papanicolaou smear of anus with high grade squamous intraepithelial lesion (HGSIL)
- 196.75 Anal high risk human papillomavirus (HPV) DNA test positive 796.75 Anal high risk human papillomavirus (HPV) and the positive 796.76 Papanicolaou smear of anus with cytologic evidence of malignancy
- 796.77 Satisfactory anal smear but lacking transformation zone
- 796.78 Unsatisfactory anal cytology smear 796.79 Other abnormal Papanicolaou smear of anus and anal HPV



Chapter 17: Injury and Poisoning (800-999)

Deleted:

≈ 997.3 Respiratory complications

Added:

- ≈ 997.31 Ventilator associated pneumonia
- ≈ 997.39 Other respiratory complication


Chapter 17: Injury and Poisoning (800-999)

New:

- *∞* 998.30 Disruption of wound, unspecified
- ≥ 998.33 Disruption of traumatic wound repair

Revised:

- $\not \approx 998.31$ Disruption of internal operation (surgical) wound
- $$\label{eq:constraint} \begin{split} Disruption = dehiscence = physical separation of a \\ wound \end{split}$$





Chapter 17: Injury and Poisoning (800-999)

Deleted:

New:

New codes: 56 Revised codes: 2 Deleted codes: 8

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

- V02.53 Carrier or suspected carrier of Methicillin susceptible Staphylococcus aureus
- ✓ V02.54 Carrie or suspected carrier of Methicillin resistant Staphylococcus aureus
- V12.02 Personal history of Methicillin resistant Staphylococcus aureus

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

New 4th digit subclassification:

«V07.5x Need for prophylactic use of agents affecting estrogen receptors and estrogen levels

- V07.51 Prophylactic use of selective estrogen receptor modulators (SERMs)
- ✓ V07.52 Prophylactic use of aromatase inhibitors
- ✓ V07. 59 Prophylactic use of other agents affecting estrogen receptors and estrogen levels

 \approx V13.5 Personal history of other musculoskeletal disorders

New:

«V13.51 Personal history of pathologic fracture

∠V13.52 Personal history of stress fracture

«V13.59 Personal history of other musculoskeletal disorders

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

Deleted:

«V15.21 Personal History of undergoing in utero procedure during pregnancy «V15.22 Personal history of undergoing in utero

procedure while a fetus

«V15.29 Personal history of surgery to other organs

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

Deleted:

∠V15.5 Personal history of injury

New:

«V15.51 Personal history of traumatic fracture «V15.59 Personal history of other injury

Added:

«V23.85 Pregnancy resulting from assisted reproductive technology

«V23.86 Pregnancy with history of in utero procedure during previous pregnancy

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

Deleted:

 $\not \ll$ V28.8 Encounter for other specified antenatal screening ${\pmb Revised:}$

V28.3 Encounter for routine screening for malformation using ultrasonics

Added:

- ✓ V28.82 Encounter for screening of risk of pre-term labor
- \varkappa V28.89 Other specified antenatal screening

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

Deleted:

≤ V45.1 Renal dialysis status

Added:

- ≤ V45.11 Renal dialysis status
- ${\scriptstyle { \ensuremath{ \ensuremath{\ensuremath{ \ensuremath{ \ensuremath{ \ensuremath{ \ensuremath{$

Revised:

- *∞* V45.71 Acquired absence of breast and nipple **New:**
- ∠ V45.87 Transplanted organ removal status
- ✓ V45.88 Status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

Deleted:

V51 Aftercare involving the use of plastic surgery

Added:

- V51.8 Other aftercare involving the use of plastic surgery

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

Deleted:

- ✓ V61.0 Family disruption
- Added expanded 5th digit subclassifications:
- ✓ V61.01 due to family member on military deployment
- ✓ V61.02 due to return of family member from military deployment
- ✓ V61.03 due to divorce or legal settlement
- ✓ V61.06 due to arvorce of legal settlement
 ✓ V61.04 due to parent-child estrangement
- ✓ V61.06 due to child in foster care or in care of non-parental family member
- ✓ V61.09 Other family disruption

Deleted:

∠ V62.2 Other occupational circumstances or maladjustment

Added:

- ∠ V62.21 Personal current military deployment status
- *∞* V62.22 Personal history of return from military deployment
- ∠ V62.29 Other occupational circumstances or maladjustment

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

Added:

- ✓ V87.01 Contact with and (suspected) exposure to arsenic
- ∠ V87.09 Contact with and (suspected) exposure to other hazardous metals
- ∠ V87.11 Contact with and (suspected) exposure to aromatic amines
- ∠ V87.12 Contact with and (suspected) exposure to benzene ∠ V87.19 Contact with and (suspected) exposure to other
- hazardous aromatic compounds ✓ V87.2 Contact with and (suspected) exposure to other potentially hazardous chemicals
- ✓ V87.31 Contact with and (suspected) exposure to mold
- V87.39 Contact with and (suspected) exposure to other potentially hazardous substances

V Codes: Classification of Factors **Influencing Health Status and Contact** with Health Services (V01-V86)

Added:

- & V87.41 Personal history of antineoplastic chemotherapy
- & V87.42 Personal history of monoclonal drug therapy
- ∠ V87.49 Personal history of other drug therapy

Added:

- K V88.02 Acquired absence of uterus with remaining cervical stump
- ✓ V88.03 Acquired absence of cervix with remaining uterus

V Codes: Classification of Factors Influencing Health Status and Contact with Health Services (V01-V86)

Added:

- $\varkappa\,$ V89.01 Suspected problem with amniotic cavity and membrane not found
- ∠ V89.02 Suspected placental problem not found
- ${\scriptstyle \measuredangle}$ V89.03 Suspected fetal anomaly not found
- ${\scriptstyle \measuredangle}$ V89.04 Suspected problem with fetal growth not found
- \varkappa V89.05 Suspected cervical shortening not found
- $\varkappa\,$ V89.09 Other suspected maternal and fetal condition not found

Resources

≤ Ingenix 2008 ICD-9-CM

- ✓ ICD-9 Maintenance and Coordination Committee agendas and presentations March 2007, Sept 2007, March 2008
- $\varkappa NIH$
- & John Huskisson, DRG Coding Analyst

